

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm		
<b>3/4 x 3/4 x .083</b>	19 x 19 x 2.11		0.750
<b>1 x 1 x .083</b>	25.4 x 25.4 x 2.11		1.040
<b>x .100</b>	x 2.54		1.140
<b>x .110</b>	x 2.79		1.230
<b>x .125</b>	x 3.18		1.350
<b>x .150</b>	x 3.81		1.540
<b>1 1/4 x 1 1/4 x .083</b>	31.8 x 31.8 x 2.11		1.230
<b>x .100</b>	x 2.54		1.480
<b>x .110</b>	x 2.79		1.570
<b>x .125</b>	x 3.18		1.780
<b>x .150</b>	x 3.81		2.050
<b>1 1/2 x 1 1/2 x .083</b>	38.1 x 38.1 x 2.11		1.510
<b>x .100</b>	x 2.54		1.820
<b>x .110</b>	x 2.79		1.970
<b>x .125</b>	x 3.18		2.210
<b>x .134</b>	x 3.40		2.330
<b>x .150</b>	x 3.81		2.560
<b>x .188</b>	x 4.78		3.350
<b>1 3/4 x 1 3/4 x .100</b>	44.5 x 44.5 x 2.54		2.240
<b>x .110</b>	x 2.79		2.450
<b>x .125</b>	x 3.18		2.760
<b>2 x 2 x .100</b>	50.8 x 50.8 x 2.54		2.580
<b>x .110</b>	x 2.79		2.830
<b>x .125</b>	x 3.18		3.060
<b>x .134</b>	x 3.40		3.240
<b>x .150</b>	x 3.81		3.580
<b>x .188</b>	x 4.78		4.330
<b>x .250</b>	x 6.35		5.410

# TUBES CARRÉS / SQUARE HSS

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
IMP Pouce/Inch	MET. mm		
<b>2 1/4 x 2 1/4 x .100</b>	57.2	x 57.2	2.840
x .125		x 3.18	3.480
x .150		x 3.81	4.090
x .188		x 4.78	4.960
x .250		x 6.35	6.260
<b>2 1/2 x 2 1/2 x .100</b>	63.5	x 63.5	3.260
x .110		x 2.79	3.580
x .125		x 3.18	3.910
x .134		x 3.40	4.160
x .150		x 3.81	4.600
x .188		x 4.78	5.610
x .210		x 5.33	6.160
x .230		x 5.84	6.420
x .250		x 6.35	7.110
<b>2 3/4 x 2 3/4 x .110</b>	69.9	x 69.9	3.960
x .125		x 3.18	4.340
x .150		x 3.81	5.110
<b>3 x 3 x .095</b>	76.2	x 76.2	3.750
x .100		x 2.54	3.950
x .110		x 2.79	4.320
x .125		x 3.18	4.760
x .134		x 3.40	5.070
x .150		x 3.81	5.620
x .188		x 4.78	6.890
x .210		x 5.33	7.590
x .250		x 6.35	8.810
x .313		x 7.95	10.590
x .375		x 9.53	12.170

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch	MET. mm			
<b>3 1/2 x 3 1/2 x .109</b>	88.9	x 88.9	2.77	4.950
x .120			x 3.05	5.540
x .125			x 3.18	5.610
x .134			x 3.40	5.980
x .150			x 3.81	6.640
x .188			x 4.78	8.170
x .210			x 5.33	9.010
x .250			x 6.35	10.510
x .313			x 7.95	12.700
x .375			x 9.53	14.710
<b>3 3/4 x 3 3/4 x .150</b>	95.3	x 95.3	x 3.81	7.150
x .188			x 4.78	8.810
x .250			x 6.35	11.360
x .313			x 7.95	13.770
<b>4 x 4 x .109</b>	101.6	x 101.6	x 2.77	5.690
x .125			x 3.18	6.460
x .134			x 3.40	6.890
x .150			x 3.81	7.660
x .188			x 4.78	9.450
x .210			x 5.33	10.510
x .250			x 6.35	12.210
x .313			x 7.95	14.830
x .375			x 9.53	17.270
x .500			x 12.70	21.630
<b>4 1/2 x 4 1/2 x .125</b>	114.3	x 114.3	x 3.18	7.310
x .134			x 3.40	7.810
x .150			x 3.81	8.690
x .188			x 4.78	10.700
x .250			x 6.35	13.910
x .313			x 7.95	16.960
x .375			x 9.53	19.820

# TUBES CARRÉS / SQUARE HSS

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
IMP Pouce/Inch	MET. mm		
<b>5 x 5</b>			
<b>.150</b>	127.0 x 127.0 x 3.81		9.710
<b>.188</b>	x 4.78		12.000
<b>.250</b>	x 6.35		15.620
<b>.313</b>	x 7.95		19.080
<b>.375</b>	x 9.53		22.370
<b>.438</b>	x 11.13		25.500
<b>.500</b>	x 12.70		28.430
<b>5 1/2 x 5 1/2 x .188</b>	139.7 x 139.7 x 4.78		13.280
<b>.250</b>	x 6.35		17.320
<b>.313</b>	x 7.95		21.180
<b>.375</b>	x 9.53		24.920
<b>6 x 6</b>			
<b>.188</b>	152.4 x 152.4 x 4.78		14.560
<b>.250</b>	x 6.35		19.020
<b>.313</b>	x 7.95		23.330
<b>.375</b>	x 9.53		27.480
<b>.438</b>	x 11.13		31.500
<b>.500</b>	x 12.70		35.240
<b>.625</b>	x 15.88		42.260
<b>7 x 7</b>			
<b>.188</b>	177.8 x 177.8 x 4.78		17.130
<b>.250</b>	x 6.35		22.420
<b>.313</b>	x 7.95		27.630
<b>.375</b>	x 9.53		32.580
<b>.438</b>	x 11.13		37.500
<b>.500</b>	x 12.70		42.050
<b>.625</b>	x 15.88		50.760
<b>8 x 8</b>			
<b>.188</b>	203.2 x 203.2 x 4.78		19.630
<b>.250</b>	x 6.35		25.820
<b>.313</b>	x 7.95		31.840
<b>.375</b>	x 9.53		37.690
<b>.438</b>	x 11.13		43.400
<b>.500</b>	x 12.70		48.850
<b>.625</b>	x 15.88		59.320

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm		
<b>9</b> x <b>9</b>	<b>x .188</b>	228.6 x 228.6 x 4.78	22.180
	<b>x .250</b>	x 6.35	29.230
	<b>x .313</b>	x 7.95	36.100
	<b>x .375</b>	x 9.53	42.790
	<b>x .500</b>	x 12.70	55.660
<b>10</b> x <b>10</b>	<b>x .250</b>	254.0 x 254.0 x 6.35	32.630
	<b>x .313</b>	x 7.95	40.350
	<b>x .375</b>	x 9.53	47.900
	<b>x .438</b>	x 11.13	55.400
	<b>x .500</b>	x 12.70	62.460
	<b>x .625</b>	x 15.88	76.330
<b>12</b> x <b>12</b>	<b>x .250</b>	304.8 x 304.8 x 6.35	39.430
	<b>x .313</b>	x 7.95	48.860
	<b>x .375</b>	x 9.53	58.100
	<b>x .438</b>	x 11.13	67.500
	<b>x .500</b>	x 12.70	76.070
<b>14</b> x <b>14</b>	<b>x .313</b>	355.6 x 355.6 x 7.95	57.360
	<b>x .375</b>	x 9.53	68.310
	<b>x .500</b>	x 12.70	89.680
<b>16</b> x <b>16</b>	<b>x .313</b>	406.4 x 406.4 x 7.95	62.870
	<b>x .375</b>	x 9.53	78.520
	<b>x .500</b>	x 12.70	103.30

# TUBES RECTANGULAIRES / RECTANGULAR HSS

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft	
IMP. Pouce/Inch	MET. mm			
<b>1 1/2 x 1</b>	<b>x .100</b>	38.1	25.4 x 2.54	1.560
	<b>x .110</b>		x 2.79	1.710
	<b>x .125</b>		x 3.18	1.910
	<b>x .150</b>		x 3.81	2.180
<b>2 x 1</b>	<b>x .083</b>	50.8	25.4 x 2.11	1.610
	<b>x .100</b>		x 2.54	1.820
	<b>x .110</b>		x 2.79	1.940
	<b>x .125</b>		x 3.18	2.210
	<b>x .134</b>		x 3.40	2.490
	<b>x .150</b>		x 3.81	2.750
	<b>x .188</b>		x 4.78	3.350
<b>2 x 1 1/2 x .100</b>		50.8	38.1 x 2.54	2.580
	<b>x .125</b>		x 3.18	2.660
<b>2 1/2 x 1 1/2 x .100</b>		63.5	38.1 x 2.54	2.580
	<b>x .110</b>		x 2.79	2.830
	<b>x .125</b>		x 3.18	3.060
	<b>x .150</b>		x 3.81	3.580
	<b>x .188</b>		x 4.78	4.330
	<b>x .250</b>		x 6.35	5.410
<b>3 x 1</b>	<b>x .100</b>	76.2	25.4 x 2.54	2.580
	<b>x .110</b>		x 2.79	2.830
	<b>x .125</b>		x 3.18	3.060
	<b>x .150</b>		x 3.81	3.580
	<b>x .188</b>		x 4.78	4.330
	<b>x .250</b>		x 6.35	5.410
<b>3 x 1 1/2 x .100</b>		76.2	38.1 x 2.54	2.920
	<b>x .125</b>		x 3.18	3.480
	<b>x .150</b>		x 3.81	4.090
	<b>x .188</b>		x 4.78	4.960

# TUBES RECTANGULAIRES / RECTANGULAR HSS

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
	IMP. Pouce/Inch	MET. mm	
<b>3    x 2</b>	<b>x .100</b>	76.2    x 50.8    x 2.54	3.260
	<b>x .110</b>	x 2.79	3.580
	<b>x .125</b>	x 3.18	3.910
	<b>x .134</b>	x 3.40	4.160
	<b>x .150</b>	x 3.81	4.600
	<b>x .188</b>	x 4.78	5.610
	<b>x .210</b>	x 5.33	6.160
	<b>x .250</b>	x 6.35	7.110
	<b>x .313</b>	x 7.95	8.430
<b>3    x 2 1/2</b>	<b>x .090</b>	76.2    x 63.5    x 2.79	3.190
	<b>x .109</b>	x 2.77	3.810
	<b>x .125</b>	x 3.18	4.310
	<b>x .160</b>	x 4.06	5.430
	<b>x .188</b>	x 4.78	6.250
<b>3 1/2 x 2</b>	<b>x .090</b>	88.9    x 50.8    x 2.79	3.190
	<b>x .109</b>	x 2.77	3.810
	<b>x .125</b>	x 3.18	4.310
	<b>x .160</b>	x 4.06	5.430
	<b>x .188</b>	x 4.78	6.250
<b>3 1/2 x 2 1/2</b>	<b>x .095</b>	88.9    x 63.5    x 2.41	3.660
	<b>x .125</b>	x 3.18	4.760
	<b>x .134</b>	x 3.40	5.070
	<b>x .150</b>	x 3.81	5.620
	<b>x .188</b>	x 4.78	6.890
	<b>x .210</b>	x 5.33	7.590
	<b>x .250</b>	x 6.35	8.810
	<b>x .313</b>	x 7.95	10.590

## TUBES RECTANGULAIRES / RECTANGULAR HSS

DIMENSIONS				Lb/Pi lin. Lb/Lin. ft
IMP Pouce/Inch		MET. mm		
<b>4</b>	<b>x 2</b>	<b>x .095</b>	101.6 x 50.8 x 2.41	3.660
		<b>x .125</b>	x 3.18	4.760
		<b>x .134</b>	x 3.40	5.070
		<b>x .150</b>	x 3.81	5.620
		<b>x .188</b>	x 4.78	6.890
		<b>x .210</b>	x 5.33	7.590
		<b>x .250</b>	x 6.35	8.810
		<b>x .313</b>	x 7.95	10.590
<b>4</b>	<b>x 3</b>	<b>x .109</b>	101.6 x 76.2 x 2.77	4.920
		<b>x .120</b>	x 3.05	5.390
		<b>x .125</b>	x 3.18	5.610
		<b>x .134</b>	x 3.40	5.980
		<b>x .150</b>	x 3.81	6.640
		<b>x .188</b>	x 4.78	8.170
		<b>x .210</b>	x 5.33	9.010
		<b>x .250</b>	x 6.35	10.510
		<b>x .313</b>	x 7.95	12.700
<b>5</b>	<b>x 2</b>	<b>x .109</b>	127 x 50.8 x 2.77	4.920
		<b>x .120</b>	x 3.05	5.390
		<b>x .125</b>	x 3.18	5.610
		<b>x .134</b>	x 3.40	5.980
		<b>x .150</b>	x 3.81	6.640
		<b>x .188</b>	x 4.78	8.170
		<b>x .210</b>	x 5.33	9.010
		<b>x .250</b>	x 6.35	10.510
		<b>x .313</b>	x 7.95	12.700
		<b>x .375</b>	x 9.53	14.710

# TUBES RECTANGULAIRES / RECTANGULAR HSS

DIMENSIONS				Lb/Pi lin. Lb/Lin. ft
	IMP. Pouce/Inch	MET. mm		
<b>5</b>	<b>x 2 1/2 x .150</b>	127 x 63.5 x 3.81		7.150
	<b>x .188</b>		x 4.78	8.810
	<b>x .210</b>		x 5.33	10.060
	<b>x .250</b>		x 6.35	11.300
	<b>x .313</b>		x 7.95	13.800
	<b>x .375</b>		x 9.53	16.000
<b>5</b>	<b>x 3</b>	127 x 76.2 x 3.18		6.460
	<b>x .125</b>		x 3.40	6.890
	<b>x .134</b>		x 3.81	7.660
	<b>x .150</b>		x 4.78	9.450
	<b>x .210</b>		x 5.33	10.510
	<b>x .250</b>		x 6.35	12.210
	<b>x .313</b>		x 7.95	14.830
	<b>x .375</b>		x 9.53	17.270
<b>5</b>	<b>x 4</b>	127 x 101.6 x 3.18		7.310
	<b>x .125</b>		x 3.40	7.810
	<b>x .134</b>		x 3.81	8.699
	<b>x .150</b>		x 4.78	10.700
	<b>x .210</b>		x 5.33	13.910
	<b>x .250</b>		x 6.35	16.960
	<b>x .313</b>		x 7.95	19.820
<b>6</b>	<b>x 2</b>	152.4 x 50.8 x 3.18		6.460
	<b>x .125</b>		x 3.40	6.890
	<b>x .134</b>		x 3.81	7.660
	<b>x .150</b>		x 4.78	9.450
	<b>x .210</b>		x 5.33	10.510
	<b>x .250</b>		x 6.35	12.210
	<b>x .313</b>		x 7.95	14.830
	<b>x .375</b>		x 9.53	17.270

# TUBES RECTANGULAIRES / RECTANGULAR HSS



DIMENSIONS				Lb/Pi lin. Lb/Lin. ft
	IMP. Pouce/Inch	MET. mm		
<b>6</b>	<b>x 3</b>	<b>x .125</b>	152.4 x 76.2 x 3.18	7.310
		<b>x .134</b>	x 3.40	7.810
		<b>x .150</b>	x 3.81	8.699
		<b>x .188</b>	x 4.78	10.700
		<b>x .250</b>	x 6.35	13.910
		<b>x .313</b>	x 7.95	16.960
		<b>x .375</b>	x 9.53	19.820
<b>6</b>	<b>x 4</b>	<b>x .150</b>	152.4 x 101.6 x 3.81	9.710
		<b>x .188</b>	x 4.78	12.000
		<b>x .250</b>	x 6.35	15.620
		<b>x .313</b>	x 7.95	19.080
		<b>x .375</b>	x 9.53	22.370
		<b>x .500</b>	x 12.70	28.430
<b>7</b>	<b>x 2</b>	<b>x .125</b>	177.8 x 50.8 x 3.18	7.310
		<b>x .134</b>	x 3.40	7.810
		<b>x .150</b>	x 3.81	8.699
		<b>x .188</b>	x 4.78	10.700
		<b>x .250</b>	x 6.35	13.910
		<b>x .313</b>	x 7.95	16.960
		<b>x .375</b>	x 9.53	19.820
<b>7</b>	<b>x 3</b>	<b>x .150</b>	177.8 x 76.2 x 3.81	9.710
		<b>x .188</b>	x 4.78	12.000
		<b>x .250</b>	x 6.35	15.620
		<b>x .313</b>	x 7.95	19.080
		<b>x .375</b>	x 9.53	22.370
		<b>x .500</b>	x 12.70	28.430
<b>7</b>	<b>x 4</b>	<b>x .188</b>	177.8 x 101.6 x 4.78	13.280
		<b>x .250</b>	x 6.35	17.320
		<b>x .313</b>	x 7.95	21.180
		<b>x .375</b>	x 9.53	24.920

# TUBES RECTANGULAIRES / RECTANGULAR HSS

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
	IMP. Pouce/Inch	MET. mm	
<b>7</b>	<b>x 5</b>	<b>x .188</b> 177.8 x 127 x 4.78	14.560
		<b>x .250</b> x 6.35	19.020
		<b>x .313</b> x 7.95	23.330
		<b>x .375</b> x 9.53	27.480
		<b>x .438</b> x 11.13	31.500
		<b>x .500</b> x 12.70	35.240
		<b>x .625</b> x 15.88	42.260
<b>8</b>	<b>x 2</b>	<b>x .150</b> 203.2 x 50.8 x 3.81	9.710
		<b>x .188</b> x 4.78	12.000
		<b>x .250</b> x 6.35	15.620
		<b>x .313</b> x 7.95	19.080
		<b>x .375</b> x 9.53	22.370
		<b>x .500</b> x 12.70	28.430
<b>8</b>	<b>x 3</b>	<b>x .188</b> 203.2 x 76.2 x 4.78	13.280
		<b>x .250</b> x 6.35	17.320
		<b>x .313</b> x 7.95	21.180
		<b>x .375</b> x 9.53	24.920
<b>8</b>	<b>x 4</b>	<b>x .188</b> 203.2 x 101.6 x 4.78	14.560
		<b>x .250</b> x 6.35	19.020
		<b>x .313</b> x 7.95	23.330
		<b>x .375</b> x 9.53	27.480
		<b>x .438</b> x 11.13	31.500
		<b>x .500</b> x 12.70	35.240
		<b>x .625</b> x 15.88	42.260

# TUBES RECTANGULAIRES / RECTANGULAR HSS



DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm		
<b>8 x 6</b>	203.2 x 152.4 x 4.78		17.130
	x .250	x 6.35	22.420
	x .313	x 7.95	27.630
	x .375	x 9.53	32.580
	x .438	x 11.13	37.500
	x .500	x 12.70	42.050
	x .625	x 15.88	50.760
<b>9 x 3</b>	228.6 x 76.2 x 4.78		14.560
	x .250	x 6.35	19.020
	x .313	x 7.95	23.330
	x .375	x 9.53	27.480
	x .438	x 11.13	31.500
	x .500	x 12.70	35.240
	x .625	x 15.88	42.260
<b>9 x 5</b>	228.6 x 127 x 4.78		17.130
	x .250	x 6.35	22.420
	x .313	x 7.95	27.630
	x .375	x 9.53	32.580
	x .438	x 11.13	37.500
	x .500	x 12.70	42.050
	x .625	x 15.88	50.760
<b>9 x 7</b>	228.6 x 177.8 x 4.78		19.630
	x .250	x 6.35	25.820
	x .313	x 7.95	31.840
	x .375	x 9.53	37.690
	x .438	x 11.13	43.400
	x .500	x 12.70	48.850
	x .625	x 15.88	59.320

# TUBES RECTANGULAIRES / RECTANGULAR HSS

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
	IMP. Pouce/Inch	MET. mm	
<b>10</b>	<b>x 2</b>	<b>x .188</b> 254.0 x 50.8 x 4.78	14.560
		<b>x .250</b> x 6.35	19.020
		<b>x .313</b> x 7.95	23.330
		<b>x .375</b> x 9.53	27.480
		<b>x .438</b> x 11.13	31.500
		<b>x .500</b> x 12.70	35.240
		<b>x .625</b> x 15.88	42.260
<b>10</b>	<b>x 4</b>	<b>x .188</b> 254.0 x 101.6 x 4.78	17.130
		<b>x .250</b> x 6.35	22.420
		<b>x .313</b> x 7.95	27.630
		<b>x .375</b> x 9.53	32.580
		<b>x .438</b> x 11.13	37.500
		<b>x .500</b> x 12.70	42.050
		<b>x .625</b> x 15.88	50.760
<b>10</b>	<b>x 6</b>	<b>x .188</b> 254.0 x 152.4 x 4.78	19.630
		<b>x .250</b> x 6.35	25.820
		<b>x .313</b> x 7.95	31.840
		<b>x .375</b> x 9.53	37.690
		<b>x .438</b> x 11.13	43.400
		<b>x .500</b> x 12.70	48.850
		<b>x .625</b> x 15.88	59.320
<b>10</b>	<b>x 8</b>	<b>x .188</b> 254.0 x 203.2 x 4.78	22.180
		<b>x .250</b> x 6.35	29.230
		<b>x .313</b> x 7.95	36.100
		<b>x .375</b> x 9.53	42.790
		<b>x .500</b> x 12.70	55.660

# TUBES RECTANGULAIRES / RECTANGULAR HSS



DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch		MET. mm	
<b>12 x 2</b>	<b>.188</b>	304.8 x 50.8 x 4.78	17.130
	<b>.250</b>	x 6.35	22.420
	<b>.313</b>	x 7.95	27.630
	<b>.375</b>	x 9.53	32.580
	<b>.438</b>	x 11.13	37.500
	<b>.500</b>	x 12.70	42.050
	<b>.625</b>	x 15.88	50.760
<b>12 x 4</b>	<b>.188</b>	304.8 x 101.6 x 4.78	19.630
	<b>.250</b>	x 6.35	25.820
	<b>.313</b>	x 7.95	31.840
	<b>.375</b>	x 9.53	37.690
	<b>.438</b>	x 11.13	43.400
	<b>.500</b>	x 12.70	48.850
	<b>.625</b>	x 15.88	59.320
<b>12 x 6</b>	<b>.188</b>	304.8 x 152.4 x 4.78	22.180
	<b>.250</b>	x 6.35	29.230
	<b>.313</b>	x 7.95	36.100
	<b>.375</b>	x 9.53	42.790
	<b>.500</b>	x 12.70	55.660
<b>12 x 8</b>	<b>.250</b>	304.8 x 203.2 x 6.35	32.630
	<b>.313</b>	x 7.95	40.350
	<b>.375</b>	x 9.53	47.900
	<b>.438</b>	x 11.13	55.400
	<b>.500</b>	x 12.70	62.460
	<b>.625</b>	x 15.88	76.330

DIMENSIONS			Lb/Pi lin. Lb/Lin. ft
	IMP. Pouce/Inch	MET. mm	
<b>14 x 4</b>	<b>x .188</b>	355.6 x 101.6 x 4.78	22.180
	<b>x .250</b>	x 6.35	29.230
	<b>x .313</b>	x 7.95	36.100
	<b>x .375</b>	x 9.53	42.790
	<b>x .500</b>	x 12.70	55.660
<b>14 x 6</b>	<b>x .250</b>	355.6 x 152.4 x 6.35	32.630
	<b>x .313</b>	x 7.95	40.350
	<b>x .375</b>	x 9.53	47.900
	<b>x .438</b>	x 11.13	55.400
	<b>x .500</b>	x 12.70	62.460
	<b>x .625</b>	x 15.88	76.330
<b>16 x 4</b>	<b>x .250</b>	406.4 x 101.6 x 6.35	32.630
	<b>x .313</b>	x 7.95	40.350
	<b>x .375</b>	x 9.53	47.900
	<b>x .438</b>	x 11.13	55.400
	<b>x .500</b>	x 12.70	62.460
	<b>x .625</b>	x 15.88	76.330

## TUBES RONDS / ROUND HSS

DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	
<b>1.000 x .065</b>	25.4 x 1.65	0.649
<b>x .083</b>	x 2.11	0.813
<b>x .095</b>	x 2.41	0.920
<b>1.050 x .095</b>	26.7 x 2.41	0.950
<b>x .100</b>	x 2.54	1.010
<b>x .110</b>	x 2.79	1.110
<b>x .113</b>	x 2.87	1.130
<b>x .125</b>	x 3.18	1.230
<b>1.250 x .100</b>	31.8 x 2.54	1.230
<b>x .125</b>	x 3.18	1.510
<b>x .134</b>	x 3.40	1.600
<b>1.315 x .100</b>	33.4 x 2.54	1.300
<b>x .110</b>	x 2.79	1.410
<b>x .125</b>	x 3.18	1.590
<b>1.660 x .100</b>	42.2 x 2.54	1.670
<b>x .110</b>	x 2.79	1.820
<b>x .125</b>	x 3.18	2.050
<b>x .134</b>	x 3.40	2.170
<b>1.875 x .100</b>	47.6 x 2.54	1.900
<b>x .125</b>	x 3.18	2.340
<b>1.900 x .100</b>	48.3 x 2.54	1.920
<b>x .110</b>	x 2.79	2.100
<b>x .125</b>	x 3.18	2.380
<b>x .150</b>	x 3.81	2.800
<b>x .188</b>	x 4.78	3.430
<b>x .250</b>	x 6.35	4.410
<b>2.000 x .100</b>	50.8 x 2.54	2.030
<b>x .125</b>	x 3.18	2.500
<b>x .150</b>	x 3.81	2.960
<b>x .188</b>	x 4.78	3.640

DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	
<b>2.375 x .100</b>	60.3 x 2.54	2.430
<b>x .125</b>	x 3.18	3.010
<b>x .150</b>	x 3.81	3.570
<b>x .188</b>	x 4.78	4.400
<b>x .250</b>	x 6.35	5.680
<b>2.500 x .125</b>	63.5 x 3.18	3.170
<b>x .150</b>	x 3.81	3.770
<b>x .188</b>	x 4.78	4.650
<b>x .250</b>	x 6.35	6.020
<b>2.750 x .125</b>	69.9 x 3.18	3.500
<b>x .150</b>	x 3.81	4.180
<b>x .188</b>	x 4.78	5.150
<b>x .250</b>	x 6.35	6.690
<b>2.875 x .125</b>	73.0 x 3.18	3.670
<b>x .150</b>	x 3.81	4.370
<b>x .188</b>	x 4.78	5.400
<b>x .250</b>	x 6.35	7.010
<b>3.000 x .125</b>	76.2 x 3.18	3.840
<b>x .134</b>	x 3.40	4.100
<b>x .150</b>	x 3.81	4.570
<b>x .188</b>	x 4.78	5.660
<b>x .250</b>	x 6.35	7.350
<b>3.500 x .125</b>	88.9 x 3.18	4.510
<b>x .150</b>	x 3.81	5.370
<b>x .188</b>	x 4.78	6.660
<b>x .250</b>	x 6.35	8.690
<b>x .313</b>	x 7.95	10.660

## TUBES RONDS / ROUND HSS

DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP Pouce/Inch	MET. mm	
<b>3.750 x .150</b>	95.3 x 3.81	5.780
<b>x .188</b>	x 4.78	7.160
<b>x .210</b>	x 5.33	7.950
<b>x .250</b>	x 6.35	9.360
<b>x .313</b>	x 7.95	11.500
<b>4.000 x .125</b>	101.6 x 3.18	5.170
<b>x .134</b>	x 3.40	5.530
<b>x .150</b>	x 3.81	6.170
<b>x .188</b>	x 4.78	7.670
<b>x .210</b>	x 5.33	8.510
<b>x .250</b>	x 6.35	10.020
<b>x .313</b>	x 7.95	12.340
<b>x .375</b>	x 9.53	14.520
<b>4.500 x .125</b>	114.3 x 3.18	5.850
<b>x .188</b>	x 4.78	8.680
<b>x .250</b>	x 6.35	11.360
<b>x .313</b>	x 7.95	14.010
<b>x .375</b>	x 9.53	16.540
<b>4.750 x .188</b>	120.7 x 4.78	9.140
<b>x .250</b>	x 6.35	12.000
<b>x .313</b>	x 7.95	14.800
<b>5.000 x .125</b>	127.0 x 3.18	6.840
<b>x .150</b>	x 3.81	7.780
<b>x .188</b>	x 4.78	9.670
<b>x .250</b>	x 6.35	12.690
<b>x .313</b>	x 7.95	15.690
<b>x .375</b>	x 9.53	18.540

DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	
<b>5.562 x .188</b>	141.3 x 4.78	10.800
<b>x .250</b>	x 6.35	14.200
<b>x .313</b>	x 7.95	17.600
<b>x .375</b>	x 9.53	20.800
 <b>6.000 x .125</b>	 152.4 x 3.18	 7.840
<b>x .188</b>	x 4.78	11.680
<b>x .250</b>	x 6.35	15.370
<b>x .313</b>	x 7.95	19.030
<b>x .375</b>	x 9.53	22.550
 <b>6.625 x .125</b>	 168.3 x 3.18	 8.680
<b>x .188</b>	x 4.78	13.000
<b>x .250</b>	x 6.35	17.020
<b>x .313</b>	x 7.95	21.100
<b>x .375</b>	x 9.53	25.100
 <b>7.000 x .188</b>	 177.8 x 4.78	 13.690
<b>x .250</b>	x 6.35	18.040
<b>x .313</b>	x 7.95	22.370
<b>x .375</b>	x 9.53	26.560
 <b>7.500 x .188</b>	 190.5 x 4.78	 14.700
<b>x .250</b>	x 6.35	19.400
<b>x .313</b>	x 7.95	24.000
<b>x .375</b>	x 9.53	28.500

## TUBES RONDS / ROUND HSS

DIMENSIONS		Lb/Pi lin. Lb/Lin. ft
IMP Pouce/Inch	MET. mm	
<b>8.625 x .188</b>	219.1 x 4.78	16.940
<b>x .250</b>	x 6.35	22.360
<b>x .313</b>	x 7.95	27.790
<b>x .375</b>	x 9.53	33.040
<b>x .438</b>	x 11.13	38.400
<b>x .500</b>	x 12.70	43.390
<b>10.750 x .250</b>	273.1 x 6.35	28.000
<b>x .313</b>	x 7.95	34.800
<b>x .375</b>	x 9.53	41.600
<b>x .438</b>	x 11.13	48.200
<b>x .500</b>	x 12.70	54.700
<b>12.750 x .250</b>	323.9 x 6.35	33.400
<b>x .313</b>	x 7.95	41.600
<b>x .375</b>	x 9.53	49.600
<b>x .438</b>	x 11.13	57.500
<b>x .500</b>	x 12.70	65.400
<b>14.000 x .250</b>	355.6 x 6.35	36.800
<b>x .313</b>	x 7.95	45.800
<b>x .375</b>	x 9.53	54.700
<b>x .438</b>	x 11.13	63.500
<b>x .500</b>	x 12.70	72.200
<b>16.000 x .250</b>	406.4 x 6.35	42.100
<b>x .313</b>	x 7.95	52.500
<b>x .375</b>	x 9.53	62.700
<b>x .438</b>	x 11.13	72.900
<b>x .500</b>	x 12.70	82.900

## TUYAUX NOIRS &amp; GALVANISÉS / BLACK &amp; GALVANIZED PIPES

## CÉDULE 40 / SCHEDULE 40

DIMENSIONS		DIAMÈTRE/DIAMETER		Épaisseur Thickness	Lb/Pi. lin Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	Ext./O.D.	Int./I.D.		
<b>1/8</b>	3.18	.405	.269	.068	.24
<b>1/4</b>	6.35	.540	.364	.088	.42
<b>3/8</b>	9.53	.675	.493	.091	.56
<b>1/2</b>	12.70	.840	.622	.109	.85
<b>3/4</b>	19.00	1.050	.824	.113	1.13
<b>1</b>	25.40	1.315	1.049	.133	1.67
<b>1 1/4</b>	31.80	1.660	1.380	.140	2.27
<b>1 1/2</b>	38.10	1.900	1.610	.145	2.71
<b>2</b>	50.80	2.375	2.067	.154	3.65
<b>2 1/2</b>	63.50	2.875	2.469	.203	5.79
<b>3</b>	76.20	3.500	3.068	.216	7.57
<b>3 1/2</b>	88.90	4.000	3.548	.226	9.10
<b>4</b>	101.60	4.500	4.026	.237	10.79
<b>4 1/2</b>	114.30	5.000	4.506	.247	12.53
<b>5</b>	127.00	5.563	5.047	.258	14.61
<b>6</b>	152.40	6.625	6.065	.280	18.97
<b>7</b>	177.80	7.625	7.023	.301	23.54
<b>8</b>	203.20	8.625	8.071	.277	24.69
<b>8</b>	203.20	8.625	7.981	.322	28.55
<b>10</b>	254.00	10.750	10.192	.279	31.20
<b>10</b>	254.00	10.750	10.136	.307	34.24
<b>10</b>	254.00	10.750	10.020	.365	40.48
<b>12</b>	304.80	12.750	12.090	.330	43.77
<b>12</b>	304.80	12.750	12.000	.375	49.56
<b>14</b>	355.60	14.000	13.250	.375	54.57
<b>16</b>	406.40	16.000	15.250	.375	62.58

**TUYAUX NOIRS & GALVANISÉS / BLACK & GALVANIZED PIPES****CÉDULE 80 / SCHEDULE 80**

DIMENSIONS		DIAMÈTRE/DIAMETER		Épaisseur Thickness	Lb/Pi. lin Lb/Lin. ft
IMP. Pouce/inch	MET. mm	Ext./O.D.	Int./I.D.		
<b>1/8</b>	3.18	.405	.215	.095	.310
<b>1/4</b>	6.35	.540	.302	.119	.530
<b>3/8</b>	9.53	.675	.423	.126	.730
<b>1/2</b>	12.70	.840	.546	.147	1.080
<b>5/8</b>	19.00	1.050	.742	.154	1.470
<b>1</b>	25.40	1.315	.957	.179	2.170
<b>1 1/4</b>	31.80	1.660	1.278	.191	2.990
<b>1 1/2</b>	38.10	1.900	1.500	.200	3.630
<b>2</b>	50.80	2.375	1.939	.218	5.020
<b>2 1/2</b>	63.50	2.875	2.323	.276	7.660
<b>3</b>	76.20	3.500	2.900	.300	10.250
<b>3 1/2</b>	88.90	4.000	3.364	.318	12.500
<b>4</b>	101.60	4.500	3.826	.337	14.980
<b>4 1/2</b>	114.30	5.000	4.290	.355	17.610
<b>5</b>	127.00	5.563	4.813	.375	20.770
<b>6</b>	152.40	6.625	5.761	.432	28.570
<b>7</b>	177.80	7.625	6.625	.500	38.040
<b>8</b>	203.20	8.625	7.625	.500	43.380
<b>10 (EH)</b>	254.00	10.750	9.750	.500	54.730
<b>12 (EH)</b>	304.80	12.750	11.750	.500	65.410
<b>14 (EH)</b>	355.60	14.000	13.000	.500	72.090
<b>16 (EH)</b>	406.40	16.000	15.000	.500	82.770

# TUYAUX NOIRS & GALVANISÉS D.E.F. / BLACK & GALVANIZED PIPES, D.E.H.

## DOUBLE EXTRA FORTS / DOUBLE EXTRA HEAVY

DIMENSIONS		DIAMÈTRE/DIAMETER		Épaisseur Thickness	Lb/Pi. lin Lb/Lin. ft
IMP. Pouce/Inch	MET. mm	Ext./O.D.	Int./I.D.		
<b>1/2</b>	12.70	.840	.252	.294	1.710
<b>3/4</b>	19.00	1.050	.434	.308	2.440
<b>1</b>	25.40	1.315	.599	.358	3.650
<b>1 1/4</b>	31.80	1.660	.896	.382	5.210
<b>1 1/2</b>	38.10	1.900	1.100	.400	6.400
<b>2</b>	50.80	2.375	1.503	.436	9.020
<b>2 1/2</b>	63.50	2.875	1.771	.552	13.690
<b>3</b>	76.20	3.500	2.300	.600	18.580
<b>3 1/2</b>	88.90	4.000	2.728	.636	22.850
<b>4</b>	101.60	4.500	3.152	.674	27.450
<b>4 1/2</b>	114.30	5.000	3.580	.710	32.530
<b>5</b>	127.00	5.563	4.063	.750	38.550
<b>6</b>	152.40	6.625	4.897	.864	53.160
<b>7</b>	177.80	7.625	5.875	.875	63.070
<b>8</b>	203.20	8.625	6.875	.875	72.420

Notre stock comprend les profilés de charpente carrée, ronde et rectangulaire respectant la norme G40.21 350W. Ces profilés sont recommandés pour leur résistance élevée par rapport à leur poids.

Norme/Standard	Grade	Limite élastique/ Yield limit	Charge de rupture/ Tensile limit
G40.21 classe C	50 W	50000 KSI	65000/89000

*Our inventory includes CSA standard G40.21 35W square, round and rectangular steel shapes. Recommended for its superior load resistance factor.*

## **COUPE / OUR CUT**



**Notre service de coupe voit à ce que votre commande  
soit assemblée et livrée selon vos besoins.**

***Our cut to measure department makes sure that  
your order is put together and delivered to your  
specifications.***